

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 430 850 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

23.06.2004 Bulletin 2004/26

(51) Int Cl.7: **A61B 18/20**

(21) Application number: **03257869.2**

(22) Date of filing: **15.12.2003**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**

Designated Extension States:

AL LT LV MK

(72) Inventor: **Karni, Ziv**

Kfar Shmaryahu (IL)

(74) Representative: **Merrifield, Sarah Elizabeth et al**

Boult Wade Tennant

Verulam Gardens

70 Gray's Inn Road

London WC1X 8BT (GB)

(30) Priority: **16.12.2002 US 319676**

(71) Applicant: **MSq (M2) Ltd**


Caesarea 38900 (IL)

(54) **Device and method for treating skin**

(57) A device for the cosmetic treatment of skin, especially for epilation, skin remodelling and treatment of acne whereby an appropriate cosmetically effective

wavelength of light is produced using a fluorescent material (18) pumped with ultraviolet light from an ultraviolet light source (14).

FIGURE 2



Description

FIELD AND BACKGROUND OF THE INVENTION

[0001] The present invention relates to the field of cosmetics, and more particularly to methods and a device for performing cosmetic procedures of the skin including epilation, skin rejuvenation, and the reduction of acne-related bacteria.

[0002] Supplying services in the field of cosmetic treatments is an important industry. Such services run the gamut from non-invasive procedures like hair cutting and application of lacquer to finger nails to surgical procedures developed for medically necessary reconstructive surgery.

[0003] Skin treatments are much sought after cosmetic treatments. A customer seeking a skin treatment typically desires to modify the appearance of the skin from a present state to a state that is more "youthful": smooth, elastic, homogeneously colored and textured. Hairs, creases, wrinkles, scars, shading and texture irregularities are all anathema: the removal or concealing thereof a sought after service.

[0004] In the art it is well known that the irradiation of the skin with certain specific wavelengths of light at relatively high intensities can contribute to the improvement of the appearance of the skin.

[0005] It is known in the art that irradiation with blue light can assist in alleviating the external symptoms of acne. Sebaceous gland found in the skin produce sebum. Ordinarily the sebum migrates out of the hair follicle along the hair. When a follicle is clogged, the sebum is trapped and becomes a breeding ground for bacteria, especially *propionbacterium acne*. The bacteria as well as the accumulating sebum lead to the appearance of an offensive looking pustule ("pimple") on the skin that may lead to permanent scarring. One method for treating acne is irradiation of an effected area with blue light having a wavelength of about 420 nm. When such light is sufficiently intense, endogenic porphyrins are produced. The porphyrins destroy *propionbacterium acne*, preventing the production of pimples.

[0006] It is known in the art that irradiation with red light can assist in epilation. When a hair follicle is heated to a sufficiently high temperature, the hair follicle is destroyed. Specific red wavelengths have been found to penetrate to the follicle and heat it to coagulation, yet not burn the skin itself. Details and background of the use of light for epilation can be found in U.S. 5,683,380 and U.S. 6,280,438 which are incorporated by way of reference as if fully set forth herein.

[0007] It is known in the art that irradiation with green light can be used in "skin remodeling". Green light of sufficient intensity is absorbed by subcutaneous blood vessels causing damage. The natural healing processes of the damage includes the growth of collagen fibers, giving the skin a smoother and more elastic appearance. Details and background of the use of light for skin

remodeling can be found in U.S. 6,387,089 which is incorporated by way of reference as if fully set forth herein.

[0008] Lasers are a preferred light source in the field of cosmetic skin treatments. Lasers are energetic and monochromatic, allowing efficient treatment with little collateral damage and few side effects. However, lasers are not versatile and a single device can be used for only a specific cosmetic treatment. Further, the price of a laser based skin treatment device is prohibitively expensive

[0009] Lamps, and especially flash lamps, have been used in devices useful for cosmetic skin treatments, see for example, U.S. 4,233,493, U.S. 5,683,380, U.S. 6,280,438 and U.S. 6,387,089. Flash lamps produce a broad wavelength distribution. This allows for great versatility as any cosmetic treatment can be performed: appropriate filters are placed so as to allow only the desired light to reach the skin. However the use of filters is wasteful, as only a small percentage of light energy produced by the lamp is found in any specific wavelength. The amount of energy of any one wavelength is low so that flash lamp treatments need to be repeated quite often. Further, the fear of exposing the skin to harmful ultraviolet light, abundantly produced by flash lamps, is so high that lamps and filters are chosen so as not to emit wavelengths of less than 500 nm.

[0010] In U.S. 6,387,089 a skin remodeling device includes a flash lamp, producing light having 500 - 2000 nm, fitted with filters preventing the passage of light more energetic than at least 550 nm.

[0011] In U.S. 6,280,438 an epilation device includes a flash lamp, producing light having 500 - 1300 nm or having 300 nm to 1000 nm, fitted with filters preventing the passage of ultraviolet light.

[0012] In U.S. 5,683,380 taught the use of a xenon flash lamp having most energy emitted as light with a wavelength of 200 nm to 1300 nm range and fitted with filters to remove lower wave lengths.

[0013] There is a need for a device that can be used for cosmetic treatments that overcomes the disadvantages of the prior art devices.

SUMMARY OF THE INVENTION

[0014] The above and other objectives are achieved by the innovative illumination device provided by the present invention.

[0015] The present invention provides for cosmetic treatment of the skin by pumping a fluorescent material with ultraviolet light and then using cosmetically useful light produced by fluorescence to perform the cosmetic treatment. Since fluorescence is both an efficient and a substantially monochromatic process, a large fraction of ultraviolet light produced by a light source is converted to cosmetically useful light.

[0016] Practice of either the device or method of the present invention is based on providing a light source having an ultraviolet component to illuminate a fluores-

cent material. By ultraviolet component is meant the percentage of energy radiated by the light source with a wavelength of between 200nm and 400nm of the total energy radiated with a wavelength of between 200nm and 1200nm.

[0017] According to the teachings of the present invention there is provided a cosmetic skin treatment device comprising a fluorescent material (the fluorescent material pumped by ultraviolet light and emitting cosmetically useful light) and an ultraviolet light source. By ultraviolet light source is meant a self-contained source of light having an ultraviolet component of at least 10%, whether coherent, incoherent, continuous or flashing (pulsed), preferably being a lamp or a laser. Typical such light sources include ultraviolet lasers, Xe flash lamps or Xe-Hg flash lamps.

[0018] Clearly the higher the ultraviolet component of the light source the better, at least 15% being preferred, more preferred at least 25%, even more preferred at least 40% and most preferred more than 50% ultraviolet component.

[0019] Generally, the light source of the present invention will be contained within a non-transparent housing with the fluorescent material acting as a window. The housing prevents any light from reaching the skin except where desired and directs the desired light (both from the fluorescent material and from the light source) in the desired direction. It is understood that the housing can include such features as baffles and light passages.

[0020] Clearly, harmful or otherwise undesired light may pass through the "window" made up of the fluorescent material to the skin. According to a feature of the present invention, cosmetically useful light from fluorescence is directed at the skin, but ultraviolet light produced by the light source and not absorbed by the fluorescent material is substantially prevented from reaching the skin.

[0021] According to a feature of the present invention a filter that is not transparent to ultraviolet light (for example, reflects or absorbs the ultraviolet light) is positioned in such a way so that undesired light from the light source is prevented from passing in the cosmetically useful direction (see Figure 1, below). According to different feature of the present invention, the light source is positioned in the housing so that light from the light source does not travel in the cosmetically useful direction (see, for example, Figures 2 and 3).

[0022] According to a feature of the present invention, the cosmetically useful light is substantially red, substantially blue or substantially green. Herein by "substantially red" is meant a wavelength of between 620 nm and 790 nm, by "substantially blue" is meant a wavelength of between 450 nm and 495 nm and by "substantially green" is meant a wavelength of between 485 nm and 580 nm.

[0023] According to a further feature of the present invention the light source is a flash lamp and produces light flashes with a density of between 1 and 200 j cm⁻².

[0024] There is also provided according to the teachings of the present invention method for cosmetic treatment of the skin by a) providing a fluorescent material, the fluorescent material pumped by ultraviolet light and emitting cosmetically useful light, b) pumping the fluorescent material with ultraviolet light produced by a light source, and c) directing the cosmetically useful light emitted by the fluorescent material at an area of the skin to be treated cosmetically. By ultraviolet light source is meant a self-contained source of light having an ultraviolet component of at least 10%, whether coherent, incoherent, continuous or flashing (pulsed), preferably being a lamp or a laser. Typical such light sources include ultraviolet lasers, Xe flash lamps or Xe-Hg flash lamps.

[0025] According to a feature of the present invention, the area of skin is hirsute and said cosmetically useful light is substantially red. According to a further feature of the present invention, the area of skin is afflicted with acne and said cosmetically useful light is substantially blue. According to a still further feature of the present invention, the area of skin needs remodeling and said cosmetically useful light is substantially green.

BRIEF DESCRIPTION OF THE DRAWINGS

[0026] The invention is herein described, by way of example only, with reference to the accompanying drawings, wherein:

FIG. 1 is the emission spectrum of a high-pressure xenon lamp;

FIG. 2 is a schematic depiction of a first embodiment of an illumination device of the present invention;

FIG. 3 is a schematic depiction of a second embodiment of an illumination device of the present invention; and

FIG. 4 is a schematic depiction of a third embodiment of an illumination device of the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0027] The present invention is of an innovative illumination device, which allows for safe and efficient irradiation of selected areas with selected wavelengths of light. Use of the device of the present invention allows performance of, amongst others, three common cosmetic procedures.

[0028] All illumination devices of the present invention are based on converting the light of commonly available ultraviolet light sources to light useful in the field of cosmetic treatments using fluorescence.

[0029] In Figure 1 is depicted the emission spectrum of a Quartz-envelope high-pressure xenon lamp (such as manufactured by, for example, Perkin-Elmer Optoelectronics (Fremont, CA, USA) or Xenon corporation

(Woburn, MA, USA)). One skilled in the art recognizes that cosmetically useful wavelengths make up only a fraction of total energy output while the lion's share of radiation is harmful ultraviolet light. Use of such a lamp to treat the skin of a person is clearly undesirable. However, when used in accordance with the present invention, the ultraviolet radiation produced by the lamp is efficiently converted to cosmetically useful light.

[0030] A first embodiment of an illumination device of the present invention **10** is schematically depicted in Figure 2. Inside a light proof housing **12** is found a water-cooled quartz-envelope high-pressure xenon flash lamp **14** fitted with a reflector. Further in illumination device **10** is found electrical pulse-forming network, **15** (such as manufactured by Perkin-Elmer Optoelectronics (Fremont, CA, USA)). Pulse forming network **15** allows flash lamp **14** to produce single or trains of flashes. A typical pulse-forming network can cause a xenon flash lamp, such as **14**, to generate single or a train of light flashes with a total density of 1 to 200 j cm⁻² and having a flash width of between 0.5 and 200 milliseconds in duration.

[0031] When activated, flash lamp **14** repetitively produces intense flashes of light **16** over a wide range of wavelengths, with a large ultraviolet component. Ultraviolet pumped fluorescent block **18** absorbs ultraviolet light and re-emits light of a desired wavelength **20**. Filter **22** prevents harmful or otherwise undesirable light **16** produced by flash lamp **14** from exiting the confines of device **10** in the direction of skin **24**. As a result, from device **10** only safe (that is non-ultraviolet) light exits to illuminate skin **24** for treatment. Further, due to the presence of ultraviolet pumped fluorescent block **18**, the intensity of light of the desired wavelength **20** produced is much higher than prior art non-laser cosmetic illumination devices.

[0032] A second embodiment of an illumination device of the present invention **26** is schematically depicted in Figure 3. Inside a light proof housing **28** is found a high-pressure xenon lamp **15**. When activated, lamp **15** produces intense light **16** over a wide range of wavelengths, with a large ultraviolet component. Ultraviolet pumped fluorescent block **18** absorbs ultraviolet light and re-emits light of a desired wavelength **20**. Baffles **30** which make up part of light proof housing **28** are positioned so that all light produced by lamp **15** and not confined to light proof housing **28** passes through ultraviolet pumped fluorescent block **18** in the direction of non-transparent block **32**. Light produced by lamp **15** is therefore either used to pump fluorescent block **18** or harmlessly confined within device **26**. In such a way skin **24** is illuminated only with light of desired wavelength **20** produced by ultraviolet pumped fluorescent block **18**.

[0033] A third embodiment of an illumination device **34** of the present invention is schematically depicted in Figure 4. Inside casing **36** is found a laser **38** that efficiently produces ultraviolet light **40** (such as produced by Thermo Laser Science of Mountain View, California, USA). A first mirror **42** directs ultraviolet light **40** into a

glass fiber light guide (Sumita Optical Glass, Inc. Saitama-Urawa, Japan) **44**. Glass fiber light guide **44** directs ultraviolet light **40** to a second mirror **46**. Second mirror **46** directs ultraviolet light **40** back through glass fiber light guide **44**. In the path of ultraviolet light **38** is interposed ultraviolet pumped fluorescent block **18**, held in place by fluorescent block holder **48**. Ultraviolet light **40** produced by laser **38** is used to pump fluorescent block **18** or is harmlessly confined within casing **36** and glass fiber light guide **44**. In such a way skin **24** is illuminated only with light of desired wavelength **20** produced by ultraviolet pumped fluorescent block **18**. It is important to note that casing **36**, glass fiber light guide **44**, and second mirror **46** are all components making up the housing of device **34**.

[0034] All three devices, **10**, **26** and **34**, can be configured for a specific treatment by simply changing the nature of ultraviolet pumped fluorescent block **18**. It is a simple matter to supply a device having a plurality of ultraviolet pumped fluorescent blocks such as **18** that are configured so as to be easily replaceable. In Figure 3, ultraviolet pumped fluorescent block **18** is depicted as being replaceable, with fluorescent blocks **18a** and **18b**. Fashioning appropriately shaped, fitted and designed fluorescent blocks **18**, **18a** and **18b** and block holder **46** is well within the abilities of one skilled in the art after study of the description herein. Other variations and possibilities of allowing the replacement and changing of the fluorescent material in a device of the present invention can be designed by one skilled in the art after study of the description herein.

[0035] One skilled in the art will recognize that illumination device **10** and illumination device **26** are most suited for the irradiation and treatment of large and non-specific skin areas. In contrast, the flexible glass fiber light guide **44** of illumination device **34** allows light to be directed more accurately to specific skin areas. The choice of which device is preferable depends on operator preference and the treatment desired. Since all three devices emit substantially no dangerous wavelengths of light, and since device **26** and device **34** emit substantially monochromatic light, little if any harm is caused by imperfect light direction or over exposure to radiation.

[0036] In order to perform epilation according to the method of the present invention, an ultraviolet pumped fluorescent material that emits substantially red light is pumped using a light source rich in ultraviolet light. Such material is manufactured and sold under the name Lumilass-R7 by Sumita Optical Glass, Inc. (Saitama-Urawa, Japan), emitting light of substantially 610 nm when pumped by light having frequencies of between 250nm to 420 nm. Lumilass-R7 can emit with a brightness of 10³ lux, sufficient for cosmetic purposes.

[0037] In order to perform skin remodeling according to the method of the present invention, an ultraviolet pumped fluorescent material that emits substantially green light is pumped using a light source rich in ultra-

violet light. Such material is manufactured and sold under the name Lumilass-G9 by Sumita Optical Glass, Inc. (Saitama-Urawa, Japan), emitting light of substantially 540 nm when pumped by light having frequencies between 200nm and 390 nm. Lumilass-G9 can emit with a brightness of 10^4 lux, sufficient for cosmetic purposes.

[0038] In order to treat acne according to the method of the present invention, an ultraviolet pumped fluorescent material that emits substantially blue light is pumped using a light source rich in ultraviolet light. Such material is manufactured and sold under the name Lumilass-B by Sumita Optical Glass, Inc. (Saitama-Urawa, Japan), emitting light of substantially 410 nm when pumped by light having frequencies between 200nm to 400 nm. Lumilass-B can emit with a brightness of 10^3 lux, sufficient for cosmetic purposes.

[0039] The present invention is not limited to the embodiments described herein but also relates to all kinds of modifications thereof, insofar as they are within the scope of the claims.

Claims

1. A cosmetic skin treatment device comprising:
 - a. a fluorescent material, said fluorescent material pumped by ultraviolet light and emitting cosmetically useful light; and
 - b. a light source, said light source producing light having at least an about 10% ultraviolet component in a direction so as to illuminate said fluorescent material.
2. The device of claim 1 wherein said light source is selected from a group of light sources consisting of coherent light sources, incoherent light sources, continuous lamps, flash lamps and lasers.
3. The device of claim 2 wherein said light source is lamp selected from a group of lamps consisting of Xe lamps and Xe-Hg lamps.
4. The device of claim 1 further comprising:
 - d. a housing configured so as to direct said cosmetically useful light in a specific direction.
5. The device of claim 4 further comprising:
 - e. a filter, said filter being not transparent to ultraviolet light, positioned so as to prevent passage of ultraviolet light in said specific direction.
6. The device of claim 4 wherein said light source is positioned in said housing so that light from said light source does not travel in said specific direction.
7. The device of claim 1 wherein said ultraviolet component is at least about 15%.
8. The device of claim 1 wherein said ultraviolet component is at least about 30%.
9. The device of claim 1 wherein said ultraviolet component is at least about 40%.
10. The device of claim 1 wherein said ultraviolet component is at least about 50%.
11. The method of claim 1 wherein said cosmetically useful light is substantially red.
12. The method of claim 1 wherein said cosmetically useful light is substantially blue.
13. The method of claim 1 wherein said cosmetically useful light is substantially green.
14. The method of claim 1 wherein said light source is a flash lamp configured to produce flashes of light with a density of between 1 and 200 j cm^{-2} .
15. A method for cosmetic treatment of the skin comprising:
 - a. providing a fluorescent material, said fluorescent material pumped by ultraviolet light and emitting cosmetically useful light;
 - b. pumping said fluorescent material with ultraviolet light produced by a light source; and
 - c. directing said cosmetically useful light emitted by said fluorescent material at an area of the skin to be treated cosmetically.
16. The device of claim 15 wherein said light source is selected from a group of light sources consisting of coherent light sources, incoherent light sources, continuous lamps, flash lamps and lasers.
17. The device of claim 15 wherein said light source is lamp selected from a group of lamps consisting of Xe flash lamps and Xe-Hg flash lamps.
18. The method of claim 15 wherein said area of skin is hirsute and said cosmetically useful light is substantially red.
19. The method of claim 15 wherein said area of skin is afflicted with acne and said cosmetically useful light is substantially blue.
20. The method of claim 15 wherein said area of skin needs remodeling and said cosmetically useful light is substantially green.




Figure 1

BEST AVAILABLE COPY

FIGURE 2.




FIGURE 3




FIGURE 4

